FUTURTEK

Via della Colombana, 30 - 20078 - SAN COLOMBANO AL LAMBRO (MI) Tel. (0371) 89055 - Fax (0371) 897746
E-mail: futurtek@libero.it Codice Fiscale e Partita IVA 10033830158 - R.E.A. di Milano n. 1335824

FAX MESSAGE

Total number of pages including this one

To NICO HORN	Company Vitech International BV
From Mrs. Arianna	Date 03/11/2006
Fax No. 0031/464236655	

FUTURTEK
THERMO-MATIC 2.0
ELECTRICAL DRAWINGS


Celsius BS=3.50
Process=TM20
KIC PROFILER
with Thermal Transmitter™
Internal Peak 58
Sat 5-15-99 8:51:55am
Sat 5-15-99 9:51:29am
1 2 3 4 5
VIEWING FILE 00664-7, OVEN 1
THERMO-MATIC 2.0 S MOD. 2730 SERIE 00664
195
176
157
138
120
101
83
63
46
26
0
Z1
Minute 0.0 8.5 17.0 25.5 34.0 42.5 51.0 60.0
Analyze
Control Panel
File Manager
Oven Setup
Report/Notepad
Setpoints
Traveling TCs
F1=Help
View Mode


TC MAP
Width = 24.00
Length = 18.00
1
2
3
4
5
1=TOP LEFT
2=TOP RT
3=CENTER
4=BOTTOM L
5=BOTTOM R
KIC PROFILER Report
Belt Speed = 3.50 Centimeters/Minute
ZONE SETPOINTS (Celsius)
1
OFF
Traveler # 1 2 3 4 5 6 INT
Max Temp 144 145 146 144 146 2 38
Min Temp 78 77 48 43 52 33 28
Max Slope + 0.1 0.1 0.2 0.2 0.2 0.1 0.0
Max Slope - -0.1 -0.1 -0.1 -0.1 -0.2 0.1 0.0
Time Above 149 0 0 0 0 0 0 0
Slope = Degrees/Second Time = Seconds


KIC Notepad Editor
THERMO-MATIC 2.0 S MOD. 2730 SERIE 00664
CLIENTE : ELBAGA
TEMPO COTTURA : 60 MINUTI
TEMPERATURA CAMERA : 160 C
DATA 22 GIUGNO 2000
ORE 15:30
Data File:
00664-7
Process:
TM20
(C) KIC THERMAL
PROFILING
San Diego, Ca.
619-673-6850
SideKIC
Profiler
Version 4.26


Celsius BS=3.58
Process=TM20
KIC PROFILER
with Thermal Transmitter™
Internal Peak 49
Sat 5-15-99 2:33:10am
Sat 5-15-99 3:32:47am
1 2 3 4 5
VIEWING FILE 00664-6, OVEN 1
THERMO-MATIC 2.0 S MOD. 2730 SERIE 00664
195
176
157
138
120
101
83
63
46
26
0
Z1
Minute 0.0 8.5 17.0 25.5 34.0 42.5 51.0 60.0
Analyze
Control Panel
File Manager
Oven Setup
Report/Notepad
Setpoints
Traveling TCs
F1=Help
View Mode


TC MAP
Width = 24.00
Length = 18.00
1
2
3
4
5
1 = TOP LEFT
2 = TOP RT
3 = CENTER
4 = BOTTOM L
5 = BOTTOM R
KIC PROFILER Report
Belt Speed = 3.58 Centimeters/Minute
ZONE SETPOINTS (Celsius)
1
OFF
Traveler # 1 2 3 4 5 Δ INT
Max Temp 144 145 146 143 145 3 49
Min Temp 99 76 48 45 53 48 27
Max Slope + 0.1 0.1 0.2 0.2 0.2 0.2 0.0
Max Slope - -0.1 -0.1 -0.1 -0.2 -0.2 0.1 0.0
Time Above 149 0 0 0 0 0 0 0
Slope = Degrees/Second Time = Seconds
KIC Notepad Editor
THERMO-MATIC 2.0 S MOD. 2730 SERIE 00664
CLIENTE : ELBASA
TEMPO COTTURA : 60 MINUTI
TEMPERATURA CAMERA : 160 C
DATA : 22 GIUGNO 2000
ORE : 9:30
Data File:
00664-6
Process:
TM20
(C) KIC THERMAL PROFILING
San Diego, Ca.
619-673-6850
SideKIC
Profiler
Version 4.26

07/11 '06 MAR 16:05 FAX 0397198746 FUTURTEK S.R.L. 002

FUTURTEK

SUBJECT

THERMOMATIC I 1.7 – 2.0

Mod. 1827 – 2727 – 2730

SEMIAUTOMATIC / AUTOMATIC

WITH OPTIONS

DRAWING FILE Nr	TM13R0xx . DWG
SOFTWARE PLC FILE Nr.	TM1_3R0 . STX
SOFTWARE OPERATOR CONTROL PANEL FILE Nr	TM1_3R0 . OOP

FUTURTEK	CUSTOMER	DRAW	GORLA	DATE 25. 02. 98	MODIFICATION	DRAWING N.	SHEET / SHEETS
	SUBJECT	CHECKED	SCRIVANI	COVER	1		0 / 32
		APPROV.	SCRIVANI	LAST MOD.	2		
					3		



FUTURTEK	CUSTOMER	DRAW. GORLA	DATE 25 02 98	MODIFICATION	DRAWING N.	SHEET	SHEETS
	SUBJECT THERMOMATIC 1	CHECKED SCRIVANI	DRAW	1		1	32
		APPROV. SCRIVANI	LAST MOD.	2			
				3			

SCALE 1:5



SCALE 1:10



FUTURTEK	CUSTOMER		Drawn	GORLA	DATE	25. 32. 98	MODIFICATION	DRAWING N.	SHEETS	SHEET
	SUBJECT	THERMOMATIC I	Checked	SORNAKI			1		2	32
			Approved	SORNAKI			2			
							3			

07/11 06 MAR 16:06 FAX 03037197746 FUTURTEK S.R.L.


FUTURTEK
THERMOMATIC I
DRAW GOSLA
CHECKED SCERVADI
APPROVAL SCERVADI
DATE 25. 02. 98
SHEET 3
SHEETS 32
INVERTER
EXT. ROLLERS CONVEYOR 0.12 HP 230V / 50-60 Hz
MAIN CONVEYOR 0.25 HP 230V / 50-60 Hz
FEEDING TABLE 0.12 HP 230V / 50-60 Hz
TCM
Q1
Q2
Q3
K1M
K2M
K3M
M1
M2
M3



FUTURTEK

THERMOMATIC I

DRAW	GORLA	DATE	25. 02. 98	MODIFICATION	DRAWING NR.	SHEET	SHEETS
CHECKED	SCRIVANI	COVM		1		4	32
APPROV	SCRIVANI	LAST MOD		2			
				3			



FUTURTEK

CUSTOMER

SUBJECT THERMOMATIC 1

DRAW.	CORLA	DATE	25. 02. 98	MODIFICATION	DRAWING N.	SHEET / SHEETS
CHECKED	SCRIVANI	COMM.		1		5 / 32
APPROV.	SCRIVANI	LAST WIRE		2		
				3		



07/11 '06 MAR 16:08 FAX 0393718977746 FUTURTEK S.R.L. 010



FUTURTEK

THERMOMATIC I

DRAWN	GORLA	DATE	25. 02. 98	MODIFICATION	DRAWING N.
CHECKED	SERVANI	TODAY		1	SHEET (PAGES)
APPROV.	SERVANI	LAST MOD.		2	7 32
				3	

07/11 06 MAR 16:10 FAX 0393139749



FUTURTEK

THERMOMATIC 1

DRAW	GORLA	DATE	25. 02. 98	MODIFICATION	DRAWING No.
CHECKED	SCAVIANI	ISSUE		1	
APPROV.	SCAVIANI	LAST MOD.		2	
				3	

SHEET 8 SHEETS 32



FUTURTEK

SUBJECT: THERMOMATIC I

DRAW	GOSLA	DATE	25 02 86	MODIFICATION	DRAWING N°
CHECKER	SCRIVANO	TORINO		1	
APPROV.	SCRIVAN	LAST WIRE		2	
				3	

SHEET 9 / 32

07/11 '06 MAR 16:10 FAX 0393718976 FUTURTEK S.R.L. 002

07/11 06 MAR 16:11 FAX 0393718740



FUTURTEK	CUSTOMER:	DRAW: GORLA	DATE: 25. 02. 98	MODIFICATION	DRAWING N.	SHEET	SHEETS
	SUBJECT: THERMOMATIC 1	CHECKED: SCRIVANI	DRAWN:	1		10	32
		APPROV: SCRIVANI	LAST MOD:	2			
				3			



FUTURTEK

SUBJECT: THERMOMATIC I

DRAW	DOFLA	DATE	25. 02. 98
CHECKER	SCRIVANI	CENM	
APPROV.	SCRIVANI	LABI VAL	

MODIFICATION

DRAWING N.

SHEET 11 SHEETS 32


FUTURTEK
THERMOMATIC 1
FEDING TABLE
MAIN CONVEYOR
EXIT ROLLERS (EXIT CONVEYOR)
DESTACKER MOTOR DOWN
DESTACKER MOTOR UP
HOT AIR MOTOR ZONE 1
(SPARE)
(SPARE)
(SPARE)
(SPARE)
HEATING BOX ZONE 1
Q2
P2
K1M
K2M
K3M
K4M/D
K4M/U
K4M/D
K7M
K3021A
K3014A
S1
S3
Q1
Q2
Q3
Q4
Q7


FUTURTEK
THERMOMATIC I
FEEDING TABLE START SENSOR (INPUT)
FEEDING TABLE STOP SENSOR (OUTPUT)
MAIN CONVEYOR SENSOR
EXIT ROLLER MICROSWITCH (NORMAL FUNCTION = CLOSED)
ROLL-UP CURTAIN (MULTI MICROSWITCH (NORMAL FUNCTION = CLOSED)
ROLL-UP CURTAIN EXIT MICROSWITCH (NORMAL FUNCTION = CLOSED)
RESTACKER HIGH MICROSWITCH
RESTACKER LOW MICROSWITCH
RESTACKER DOWN SENSOR
RESTACKER PHOTOCELL SIGNAL
RESTACKER DOWN
RESTACKER UP
MACX SENSOR OUTPUT
(SPARE)
(SPARE)
(SPARE)
P3
K206A
S213
S214
B101
B102
B103
B104
B107
B108
B109
B110
B111
B112
B113
B116



FUTURTEK

SUBJECT: THERMOMATIC I

DRAWN	GORIA	DATE	25. 02. 98	MODIFICATION	SHEET 14 / SHEETS 32
CHECKED	SCRIVANI				
APPROV.	SCRIVANI				



FUTURTEK	CUSTOMER	DRAW	CORLA	DATE 25. 02. 98	MODIFICATIONS	DRAWING N.	SHEET	SHEETS
	SUBJECT THERMOMATIC 1	CHECKER	SCRIVANI	DOMM	1		15	32
		APPROV.	SCRIVANI	LAST MOD.	2			
					3			



FUTURTEK	CUSTOMER	DRAW GORLA	DATE 25. 02. 98	MODIFICATION	DRAWING N	SHEET 16 / SHEETS 32
	SUBJECT THERMOMATIC I	CHECKED SCRIVANI	ISSUE	1		
		APPROVED SCRIVANI	LAST MODIFICATION	2		
				3		

07/11 '08 MAR 16:12 FAX 0393716746 FUTURTEK S.R.L.


INTAKE WATER
COOLING WATER
VENTILATION ON
VENTILATION OFF
CONVEYORS ON
CONVEYORS OFF
EXHAUST WATER 1
FUTURTEK
THERMOMATIC 1
CORLA
SCHWABL
SCHWABL
25. 02. 98



FUTURTEK	DESIGNER		DRAW	GORLA	DATE	20 02 98	MODIFICATION	DRAWING N.	SHEET	SHEETS
	SUBJECT	THERMOMATIC 1	CHECKER	SCRIVANI	DRAW		1		18	32
			APPROV.	SCRIVANI	LAST MOD.		2			
							3			

07/11 '98 MAR 16:14 FAX 0393718746 FUTURTEK S.R.L. 001



FUTURTEK	CUSTOMER	DRAW.	GORLA	DATE	25. 02. '98	MODIFICATION	DRAWING N.	SHEET 19 / SHEETS 32
	SUBJECT: THERMOMATIC 1	CHECKER	SCRIVANI	DRAW.		1		
		APPROV.	SCRIVANI	UNIT MEAS.		2		
						3		



INTERNAL AUXILIARY TERMINAL BOARD X41



INTERNAL AUXILIARY TERMINAL BOARD X41



INTERNAL AUXILIARY TERMINAL BOARD X42

FUTURTEK	CUSTOMER	DRAW. CORLA	DATE 25. 02. 98	VERIFICATION	DRAWING Nr.	SHEET	SHEETS
	SUBJECT THERMOMATIC I	CHECKED SCRIVANI	ESAME	1		23	32
		APPROVED SCRIVANI	LAST MODIFICATION	2			
				3			

07/11 '00 MAR 16:15 FAX 0393781987746 FUTURTEK S.R.L. 0005


FOWER TERMINAL BOARD XC
L 1
L 2
L 3
N
MAIN POWER
Mod 1827 = 60 KV
Mod 2727 = 90 KV
Mod 2730 = 72 KV
FUTURTEK
THERMOMATIC I
GORLA
SCRIVANI
SCRIVANI
25. 02. 98
24
32

POWER TERMINAL BOARD X1



FEEDING TABLE 0.12 HP 380 V 730-60 Hz

MAIN CONVEYOR 3/25 HP 380 V / 50-60 Hz

EXIT ROLLERS (EXIT CONVEYOR) 0.12 HP 380 V / 50-60 Hz

ACCUMULATOR MOTOR 0.25 HP 380 V / 50-60 Hz

INTAKE MOTOR 1/4 HP 380 V / 50-60 Hz

COOLING MOTOR 0.5 HP 380 V / 50-60 Hz

HOT AIR MOTOR ZONE 1 1 HP 380 V / 50-60 Hz

EXHAUST MOTOR 1 2 HP 380 V / 50-60 Hz

FUTURTEK	CUSTOMER		DRAW	GORLA	DATE	25. 02. 08	
	SUBJECT	THERMOMATIC I	CHECKED	SCRIVANI	DOMI		25 / 32
			APPROV.	SCRIVANI	LAST WIRE		

FUTURTEK S.R.L.

POWER TERMINAL 2 WAYS +2
U V N
21 21 21
HEATING BOX
ZONE 1
24 V.A. 230 V
FUTURTEK
DESIGNER
SUBJECT
THERMOMATIC 1
DRAWN
CHECKED
APPROV.
GORLA
SCIORATO
SCIORATO
DATE
25 01 96
CHANGE
LAST MOD.
MODIFICATION
DRAWING N.
SHEET
26
32



FUTURTEK	CUSTOMER	DRAW.	CORLA	DATE	25. 02. 08		
	SUBJECT	CHECKER	SCRIVANI				
	THERMOMATIC I	APPROV.	SCRIVANI			27	32



FUTURTEK

CUSTOMER

SUBJECT THERMOMATIC I

DRAW	CORLA	DATE	25. 02. 98
CHECKER	SCRIVANI	DOWN	
APPROV	SCRIVAN	CAST WIRE	

REVISION

1	
2	
3	

SHEET 28 32

FUTURTEK S.R.L.



FUTURTEK	CUSTOMER		DRAW	GORLA	DATE 25. 02. 98	MODIFICATION
	SUBJECT	THERMOMATIC I	CHECKED	SCIBILIA	DRAW	
			APPROV	SCIBILIA	CUST. APPR.	



FUTURTEK

Customer		Draw	GORLA	Date	25 02 98	Variation	
Subject	THERMOMATIC 1	Checker	SCRIVANI	Drawn		1	
		Approv	SCRIVANI	Last wire		2	
						3	

10 32

07/11 '06 MAR 16:17 FAX 0393718907746 FUTURTEK S.R.L. 010

CONNECTOR X51 AND TERMINAL BOARD X61 LOADER



FUTURTEK	CUSTOMER	DRAW.	CORLA	DATE	25. 02. 98		
	TILBUDT	CHECKER	SCRIVANI	DRAW.			
	THERMOMATIC 1	APPROV.	SCRIVAN	LAST MAK.			31 / 32

FUTURTEK S.R.L.

CONNECTOR X52 AND TERMINAL BOARD X62 UNLOADER



FUTURTEK

CUSTOMER

SUBJECT THERMOMATIC I

DRAW	GORLA	DATE	25 03 98
CALCHER	SCRIVANI	ITEM	
APPROV	SCRIVAN	LAST MOD	

1			
2			
3			

DRAWING N

SHEET 32 SHEETS 32